PROPOSAL HENRY COUNTY DEPARTMENT OF HIGHWAYS 2025 ROAD IMPROVEMENT PROJECT

Timothy J. Schumm, PE, PS, County Engineer G. Jeffery Brubaker, County Commissioner Glenn A. Miller, County Commissioner Lori Siclair, County Commissioner

LETTING – March 11th, 2025 at 9:30 A.M.

DO NOT SUBMIT MORE THAN ONE PROPOSAL FOR EACH BID

Submitted By:		
Street:		
Post Office:		
State:	Zip Code:	
Telephone Number:	Fax Number:	
E-Mail Address:		

INDEX

NOTICE TO CONTRACTORS (LEGAL NOTICE)	1
NOTICE TO BIDDERS (INSURANCE)	2
INDEMNIFICATION/HOLD HARMLESS	3
TESTING/QUALITY CONTROL	3
MAINTAINING TRAFFIC	4
UTILITIES	4
CONTROL POINTS	4
GENERAL NOTES	4
SPECIFICATIONS	5
SPECIFIC PROJECT NOTES	6
AWARD OF PROJECT	6
PROJECT COMPLETION DATE	7
GUARANTEE	7
PREPARATION OF PROPOSAL	7
BID PROPER	7
BID GUARANTEE	9
ADDRESS	9
TIME	9
PLACE	9
OHIO PRODUCTS	10
COMPLIANCE NOTES	10
PROJECT PROPOSAL	11 - 20
WRITTEN CONTRACT	21
BID GUARANTY AND CONTRACT BOND FORMS	22-23
NON-COLLUSION AFFIDAVIT	24
VERIFICATION OF "NO FINDING FOR RECOVERY"	25
AFFIDAVIT IN COMPLIANCE WITH SECTION 3517.17 OF O.R.C.	APPENDIX A

LEGAL NOTICE NOTICE TO CONTRACTORS

Notice is hereby given that sealed proposals will be received at the Office of the Board of County Commissioners, Henry County, Ohio until Tuesday, March 11th, 2025 at 9:30 A.M. for furnishing all services, labor, materials and equipment necessary for the improvement of the following described roads:

SECTION

County Road 15 between US 6 and Road S
County Road M between SR 109 and Road 7 including pavement repairs
County Road 11C between Napoleon Corp. and Road O
County Road O between 11C and US 6, including old Road O to dead end
County Road 18 between Road B and Road 17B
Jahns Road from Railroad to Napoleon Corp. (County)
Bales Road from Westmoreland to Glenwood (City of Napoleon)
Henry County Fairgrounds mill and fill various roads

PROJECT LENGTH: 11.6 Miles

PROJECT TYPE: 2025 Resurfacing and Related Roadway Improvements

Bidding documents and specifications will be issued at the Office of the County Engineer. One display set will be available for inspection at the Office of the County Engineer. The bidding documents are also available at the Henry County Engineer's website, www.henrycountyengineer.com under the link "Bid Request Listing".

All Contractors and Subcontractors involved with the project will, to the extent practicable use Ohio products, materials, services and labor in the implementation of their project. Additionally, Contractor compliance with the equal employment opportunity requirements of the Ohio Administrative Code Chapter 123, the Governor's Executive Order of 1972 and the Governor's Executive Order 84-9 shall be required.

Domestic steel use requirements as specified in Section 153.011 of the Revised Code apply to this project. Copies of Section 153.011 of the Revised Code can be obtained from any of the Offices of the Department of Administrative Services.

Each bidder is required to file with his bid a bid guaranty in the form of either:

- 1) A bond, executed by a surety company authorized to do business in the State of Ohio, for the full amount of the bid; or
- 2) A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten (10%) percent of the bid.

Bid guaranty must be provided as guarantee that if the contract be awarded on such bid, the bidder will enter into a contract and the performance of it will be properly secured. The successful bidder, if using a 10% bid guaranty, shall be required to provide a contract performance and payment bond, executed by a surety company authorized to do business in the State of Ohio, for the full amount of the bid.

Estimated total cost of the improvements is \$1,670,405

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on said project.

The contract will be awarded to the lowest and best bidder.

The said Board reserves the right to reject any or all bids.

BY ORDER OF THE BOARD OF COUNTY COMMISSIONERS HENRY COUNTY, OHIO By: Kristi Schultheis, Clerk

INSURANCE

Bidders that are pre-qualified with the Ohio Department of Transportation as per Item 102.01 of ODOT's "Construction and Materials Specifications" at least ten (10) days before the date of the bid opening have demonstrated that they maintain proper insurance coverage and may waive the insurance requirement of these specifications.

Those bidders that are not pre-qualified with the Ohio Department of Transportation must show proof, with Certificate of Insurance, the following insurance requirements.

The CONTRACTOR shall purchase and maintain such insurance as will protect him from claims set forth below which may arise out of result from the CONTRACTOR'S execution of the WORK, whether such execution be by himself or by any SUBCONTRACTOR or by anyone directly or indirectly employed by any of them, or by anyone for whose acts any or them may be liable:

Claims under Worker's Compensation, disability benefit and other similar employee benefit acts;

Claims under damage because of bodily injury, occupational sickness or disease, or death of his employees;

Claims for damages insured by usual personal injury liability coverage which are sustained (I) by any person as a result of an offense directly or indirectly related to the employment of such person by the CONTRACTOR, or, (2) by any other person; and

Claims for damages because of injury to or destruction of tangible property, including loss of use resulting therefrom.

Certificates of insurance acceptable to the OWNER shall be filed with the OWNER prior to the commence of the WORK. The County, its elected officials and employees shall be named as additional insureds with respect to all activities under any contract resulting from this bidding. These certificates shall contain a provision that coverage afforded under policies will not be canceled unless at least thirty (30) days prior WRITTEN NOTICE has been given to the OWNER. The CONTRACTOR must replace certificates for any insurance expiring prior to the effective end date under any contract resulting from this bidding.

The CONTRACTOR shall procure and maintain, at his own expense, during the CONTRACT TIME, liability insurance as hereinafter specified.

CONTRACTOR'S General Public Liability and Property Damage Insurance including vehicle coverage issued to the CONTRACTOR and protecting him from all claims from personal injury, including death, and all claims for destruction of or damage to property, arising out of or in connection with any operations under the CONTRACT DOCUMENTS, whether such operations be by himself or by any SUBCONTRACTOR under him, or anyone directly or indirectly employed by the CONTRACTOR OR BY A SUBCONTRACTOR under him. Insurance shall be written with a limit of liability of not less than \$1,000,000 for all damages arising out of bodily injury, including death, at any time resulting therefrom, sustained by any one person in any one accident; and a limit of liability of not less than \$1,000,000 aggregate for any damages

sustained by two or more persons in any one accident. Insurance shall be written with a limit of liability of not less than \$1,000,000.00 for all property damage sustained by any one person in any one accident; and a limit of liability of not less than \$1,000,000.00 aggregate for any such damage sustained by two or more persons in any one accident.

The CONTRACTOR shall procure and maintain, at his own expense, during the CONTRACT TIME, in accordance with the provisions of the laws of the state in which the work is performed. Worker's Compensation insurance, including occupational disease provisions, for all of his employees at the site of the PROJECT and in case any work is sublet, the CONTRACTOR shall require such SUBCONTRACTOR similarly to provide Worker's Compensation Insurance, including occupational disease provisions for all the latter's employees unless such employees are covered by the protection afforded by the CONTRACTOR. In case any class of employees engaged in hazardous work under this contract at the site of the PROJECT are not protected under Worker's Compensation statute, the CONTRACTOR shall provide, and shall cause each SUBCONTRACTOR to provide, adequate and suitable insurance for the protection of his employees not otherwise protected. A copy of the CONTRACTOR'S valid Worker's Compensation certificate shall be submitted with this bid.

INDEMNIFICATION/HOLD HARMLESS

The CONTRACTOR shall indemnify and hold harmless the County, its agents and employees from any and all losses, claims, damages, lawsuits, costs, judgments, expenses or any other liabilities which they may incur as a result of bodily injury, sickness, disease or death, or injury to or destruction of tangible property including the loss of use resulting therefrom, caused in whole or part by the negligent act or omission of the CONTRACTOR, any SUBCONTRACTOR, any person directly or indirectly employed by any of them or any person for whose acts any of them may be liable.

TESTING/QUALITY CONTROL

The Henry County Engineer reserves the right to engage an independent testing laboratory to obtain product and material samples, verify compaction of backfill, etc., to determine conformance with specifications of all materials used at the project site. Materials deeded unacceptable shall be dealt with in accordance to ODOT Spec. 106.07 and related specifications sections.

"Unless otherwise designated, tests required on materials and products in accordance with AASHTO, ASTM or methods on file in the office of the Director will be made by and at the expense of the CONTRACTOR."

All aggregate used in conjunction with this project must be from an ODOT prequalified source.

Asphalt concrete mixtures specified shall be composed of aggregate, asphalt binder and modifiers (where specified) meeting the Ohio Department of Transportation requirements.

The CONTRACTOR, prior to producing asphalt for this contract, shall submit a job mix formula that meets contract requirements and has previously been approved for use on ODOT work.

Acceptance of the mix will be based on the owner representative's observation that production and quality control operations are resulting in an acceptable product.

Should any retesting be required to settle a dispute, such testing will be at the CONTRACTOR'S expense.

MAINTAINING TRAFFIC

Local traffic only shall be maintained for access to and from homesites and businesses. Lights, signs and barricades shall be provided by the CONTRACTOR and placed in accordance with the Ohio Manual of Uniform Traffic Control Devices. Maintaining traffic in accordance with the above provisions shall be included for payment in the lump sum Item 614, Maintaining Traffic.

Temporary pavement marking shall be placed upon the centerline of the surface course at approximately 50 foot intervals on all roadways 16' and greater in width unless otherwise stated. The temporary marking shall be paid for under Item 823, Asphalt Concrete Surface Course.

UTILITIES

Prior to any construction requiring excavation activity, the CONTRACTOR shall contact the Ohio Utility Protection Service (OUPS) at 1-800-362-2764 for location of any underground utilities at least two (2) working days prior to any activity. Non-OUPS members must be called directly.

CONTROL POINTS

Before actual construction operations begin, the Engineer will reference all existing monuments, railroad spikes, iron bolts, etc. in the survey line. Upon completion of the pavement surfacing, the Engineer will re-establish all control points in the new pavement.

GENERAL NOTES

Unless otherwise noted one (1") inch average depth "formed" construction joint as directed by the Engineer shall be constructed at all pavement termini locations and at all interruptions to the continuous placement of 823 material (weather, end of day, etc.) A separate bid item has been included for "pavement planing" at the pavement termini locations on all projects. All construction joint locations will be field painted prior to bidding. Approximate length of pavement planning is 20 feet and to include the radius.

All projects shall include radius, intersection, drive approach and mailbox approach pavement as shown on the plans or as directed by the Engineer. Unless otherwise directed, the CONTRACTOR shall construct an apron one (I') foot wide at unpaved driveways and mailbox approaches. Apron length at driveways shall equal driveway width plus ten (10') feet. Apron length at mailbox approaches shall be seventy-five (75') feet centered on the mailbox. All quantities for approach work are included in the listed project bid items.

The CONTRACTOR shall provide the Engineer a minimum of 48 hours advance notice prior to the commencement of any work.

Tonnage lath can be provided by the Engineer at a minimum of 500' intervals. Additionally areas

requiring layout for location of formed construction joints, feather areas, planning and profile correction will be provided by the Engineer. Construction stakes on projects requiring pavement realignment, layout for widening, shoulder limits, drainage structures, ditch grades, pavement grades, etc. shall be by the Contractor and shall be paid for under Item 623 - Construction Layout Stakes.

The CONTRACTOR shall confine his work area within the proposed work limits as shown on the plans.

SPECIFICATIONS

Asphalt Specifications

The Standard Specifications of the State of Ohio Department of Transportation dated January 1, 2019 together with any modifications to same as stated herein or on the plans will govern these improvements.

Item 823 Intermediate course where specified, shall be placed to restore crown to the pavement. All 823 Intermediate Course material shall be placed as directed by the Engineer prior to placement of any 823 Surface Course material on a road by road basis. No construction traffic shall be permitted over the material until sufficient cooling has occurred to support such traffic. Unless otherwise noted or directed by the Engineer Item 823 Intermediate (Leveling) Course shall be placed at an average compacted depth of a half inch (0.5") inch with a designed cross-section slope of one-quarter (¼") inch per foot. Item 823 Surface Course shall be placed at a minimum compacted depth of one and one- quarter (1.25") inches or one and one-half (1.50") inches with a designed cross-section slope of one-quarter (¼") inch per foot unless specified otherwise. Roads vary on having a leveling course. Please see estimate for more detail.

All 823 materials shall to the extent practicable, be placed at full width. Material shall be placed to provide the designed 1/4 inch/foot cross-section slope and to correct longitudinal deficiencies with a forty (40') foot automatically controlled leveling ski. Instead of full width paving, the Contractor may use hot joint construction using multiple pavers.

Item 407 Bituminous Tack Coat shall be applied to all existing pavement and intermediate courses at the rate of 0.08 gallons per square yard unless otherwise noted.

The asphalt binder grade for all 823 material used shall be PG 64-22. Both the 823 Intermediate Leveling Course and the 823 Surface Course shall be Type 1.

The course aggregates used in the asphalt mixes shall be from crushed stone or gravel. The fine aggregates used in the mix designs shall be of natural sand or sand manufactured from stone or gravel. There shall be **NO** slag materials allowed in any mix design.

SPECIFIC PROJECT NOTES

<u>County Road 15 – US 6 to Road S</u> – Road 15 is approximately 20.5 feet wide, 11,725 feet in length, and is to be resurfaced with a 0.5" 823 leveling course and topped with 1.25" 823 Surface Course. Pavement Planing includes: US 6 mill 20 feet north, Road R mill head width EP both sides, Road S mill EP south 20 feet.

<u>County Road M – SR 109 to Road 7</u> – Road M is approximately 18.5 feet wide, 10,545 feet in length, and is to be resurfaced with a 0.5" 823 leveling course and topped with 1.25" 823 surface course including various pavement repairs 4" in depth (approximately 52 CY). Pavement Planing includes: SR 109 20 feet east, Railroad mill 20 feet east and west of tracks, Culvert pipe to be milled, Road 8 EP mill head width both sides, Bridge M-11.85 approaches and skim bridge deck, Road 7 EP mill head width each side and 20 feet east of intersection.

<u>County Road 11C – Napoleon Corp. to Road O</u> – Road 11C is approximately 22 feet wide, 6,355 feet in length, and is to be resurfaced with a 0.5" 823 leveling course and topped with 1.25" 823 surface course. Pavement Planing includes: Napoleon Corp. mill southeast 20 feet, Road 11C branch mill southeast 20 feet, Road 12 mill head width EP both sides, Road 0 mill head width south edge.

County Road 0 – Road 11C to US 6 – Road O is approximately 22 feet wide, 12,425 feet in length, and is to be resurfaced with a 0.5" 823 leveling course and topped with 1.25" 823 surface course. Pavement Planing includes: Road 11 mill head width EP both sides, Road 10 mill head width EP both sides, US 6 mill 20 feet southwest. Also includes old Road O to dead end which is approximately 20 feet wide, 470 feet in length.

<u>County Road 18 – Road B to Road 17B</u> – Road 18 is approximately 12.75 feet wide, 5290 feet in length, and is to be resurfaced with a 0.5" 823 leveling course and topped with 1.25" 823 surface course including various pavement repairs 4" in depth (approximately 150 CY). Pavement Planing includes: Road 17B mill EP south 20 feet, Road B1 mill head width west side, Road B EP 20 feet north.

<u>Jahn's Road from Railroad to Napoleon Corp. (County)</u>- Jahn's Road is approximately 22.5 feet wide, 1900 feet in length, and is to be milled at an average of 1.5" in its entirety and resurfaced with a 1.5" 823 surface course. Pavement Planing includes: Entire road. Pavement markings included

Bales Road from Westmoreland to Glenwood (City of Napoleon)- Bales Road is approximately 22.5 feet wide, 2870 feet in length, and is to be milled at an average of 1.5" in its entirety and resurfaced with a 1.5" 823 surface course. This includes the bike lane and drive area by golf course. Pavement Planing includes: Entire road. Pavement markings included

Henry County Fairground Roads- Mill and fill various roads at the Henry County Fairgrounds.

AWARD OF PROJECT

The bid will be tabled at the formal opening; award of the project will be made at the time designated by the Board of County Commissioners following a review to verify compliance with all bid requirements.

PROJECT COMPLETION DATE

All work shall be completed on or before October 15, 2025. For each calendar day that any work shall remain uncompleted after the stated completion date the appropriate sum, in accordance with the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation, will be deducted from any monies due the CONTRACTOR, not as a penalty but as liquidated damages; provided however that due account shall be taken of any adjustment of the completion date granted by the Board of County Commissioners of Henry County.

Once a roadway is closed for commencement of the PROJECT, the CONTRACTOR shall proceed without undue delay to complete the PROJECT in a timely manner and avoid prolonged interruption of traffic. Delays in the work following an initial start which are not attributable to weather or seasonal conditions shall be considered days beyond completion and the CONTRACTOR will have deducted from any monies due him according to the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation.

A work day will be counted as lost if the CONTRACTOR'S efficiency is reduced more than fifty (50%) percent on the critical items under construction at that time. Weekends and holidays will not be counted as lost work days.

GUARANTEE

The CONTRACTOR shall guarantee for a period of one (1) year from the date of completion of the proposed work that it is free from all defects due to faulty materials or workmanship. The CONTRACTOR shall promptly make corrections as may be necessary by reason of such defects. The Engineer will give notice of observed defects with reasonable promptness. In the event that the CONTRACTOR should fail to make repairs, adjustments or other work which may be made necessary by such defects, the Engineer may do so and charge the CONTRACTOR the cost thereby incurred.

PREPARATION OF PROPOSAL

The blank spaces in the proposal must be filled in correctly, where indicated, and written in ink.

BID PROPER

The bidder is required to fill in, in the "Unit Price Bid" column, a unit price for additions opposite each item for which there is a quantity given in the "Approximate Unit Quantities" column. The gross sum of the totals in the "Total Amount Bid" column shall equal the sum (shown on Page 11-24 of this proposal) bid for the work.

The totals given on Page 10 are only for the convenience of the Henry County Commissioners in reading bids.

The unit prices specified in the "Unit Price Bid" column will govern the award of the Contract. The unit prices bid shall remain in effect and held firm during the term of this contract.

The CONTRACTOR shall make extensions in the "Total Amount Bid" column and also add up the

totals. However, the unit prices specified, together with the approximate quantities shall determine the total amount of the bid. If there is an error made in the extension by the bidder, the total shall be changed as only the unit prices shall govern.

The quantities in the "Approximate Unit Quantities" column are those given in the Engineer's approximate estimate and are those which will be used in determining the total amount of each proposal for this improvement and for the purpose of determining the lowest bidder. It is understood that these quantities are approximate only. The bidder must give a unit price for each item listed. Failure to do so will render the bid informal at the discretion of the Henry County Board of Commissioners.

BID GUARANTY

Payable to the Board of County Commissioners.

Each bidder is required to file with his bid a bid guaranty in the form of either:

- 1) a bond, executed by a surety company authorized to do business in the State of Ohio, for the full amount of the bid; or
- 2) a certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten (10%) percent of the bid, payable to the Board of County Commissioners.

Bid guaranty must be provided as guarantee that if the contract be awarded on such bid, the bidder will enter into a CONTRACT and the performance of it will be properly secured. The successful bidder if using a 10% bid guaranty, shall be required to provide a contract performance and payment bond, executed by a surety company authorized to do business in the State of Ohio, for the full amount of the bid.

<u>ADDRESS</u>

Proposals must be sealed and addressed to: Board of Commissioners

1853 Oakwood Avenue Napoleon, OH 43545

and envelope marked: 2025 Henry County Resurfacing Project <u>and with the name and address of the bidder</u>.

TIME

Bids are to be opened at 9:30 A.M., Tuesday, March 11th, 2025.

PLACE

Office of the Board of County Commissioners 1853 Oakwood Avenue Napoleon, OH 43545

OHIO PRODUCTS

CONTRACTORS and SUBCONTRACTORS shall, to the extent practicable, use Ohio products, materials, services and labor in connection with the project. Domestic steel use requirements as specified in Section 153.011 of the Revised Code apply to this project. Copies of Section 153.011 of the Revised Code can be obtained from any of the office of the Department of Administrative Services.

COMPLIANCE NOTES

PREVAILING WAGE RATES AS PER SECTION 4115 OF THE OHIO REVISED CODE SHALL PREVAIL ON THIS PROJECT.

A COPY OF THE APPLICABLE WAGE RATES MAY BE OBTAINED FROM THE STATE OF OHIO WAGE AND HOUR DIVISION VIA THE INTERNET AT THE FOLLOWING WEB SITE: http://www.com.ohio.gov/laws

SHOULD THE BIDDER NOT HAVE ACCESS TO THE INTERNET, A COMPLETE SET OF THE APPLICABLE WAGE RATES ARE AVAILABLE AT THE OFFICE OF THE HENRY COUNTY ENGINEER. A COPY WILL BE PROVIDED IF REQUESTED.

THE SUCCESSFUL BIDDER WILL BE PROVIDED A HARD COPY OF THE PREVAILING WAGE RATES AS A PART OF THE CONTRACT DOCUMENTS.

ANY RATE CHANGES RECEIVED FROM THE STATE WAGE AND HOUR DIVISION DURING THE TERM OF THE CONTRACT WILL BE PROVIDED IN HARD COPY TO THE CONTRACTOR.

THE HENRY COUNTY ENGINEER IS AN EQUAL EMPLOYMENT OPPORTUNITY EMPLOYER.

THE CONTRACTOR SHALL CONFORM TO ALL APPLICABLE PROVISIONS OF 153.59 AND 153.60 OF THE OHIO REVISED CODE WITH RESPECT TO DISCRIMINATION AND INTIMIDATION ON ACCOUNT OF RACE, CREED, SEX HANDICAP, OR COLOR.

THE CONTRACTOR IS REMINDED THAT COMPLETE COMPLIANCE WITH ALL APPLICABLE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION STANDARDS CURRENTLY IN EFFECT IS MANDATORY ON ALL WORK COMPLETED UNDER THIS PROPOSAL/CONTRACT.

DOMESTIC STEEL USE REQUIREMENTS AS SPECIFIED IN REVISED CODE APPLY TO THIS PROJECT. COPIES OF SECTION 153.011 OF THE REVISED CODE CAN BE OBTAINED FROM ANY OF THE OFFICES OF THE DEPARTMENT OF ADMINISTRATIVE SERVICES.

TO: The Board of County Commissioners and Engineer of Henry County Ohio

The undersigned, having full knowledge of the sites, plans and specifications for the following improvements and the conditions of this proposal hereby agrees to furnish all services, labor and materials and equipment necessary to complete the entire project according to the plans, specifications and completion time, and to the acceptance of the Board of County Commissioners and Engineer of Henry County, and to accept the unit prices specified for each item as full compensation for the work in this proposal.

	The total amount of the bid, based on the approximate quantities given and the unit prices									
specified by the bidder amounts to the sum of										
DOLLA	ARS (\$).									

UNIT PRICE CONTRACT

The undersigned further agrees to accept the following "Unit Bid Prices" in compensation for any additions or deductions caused by any changes or alternations in the specifications of the work. The unit prices shall remain in effect and held firm during the term of this contract.

The "Gross Sum" of the totals in the "Total" column shall equal the sum (Given Above) bid for the work.

To: Board of Commissioners

Henry County Engineer Henry County, Ohio 3.11.25

Road 11C from Napoleon Corp to Road O

Length: 6355 Feet or 1.2 Mile(s)

Width: 22 Feet (Approx. 15595 S.Y. including radius and driveway work)

<u>Ref. #</u>	<u>Item</u>	Quantity	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	407	1,560	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$
2	823	217	C.Y.	Asphalt intermediate course PG 64-22, Type 1 (823) applied, spread and compacted at the average depth of 0.5 inches Asphalt concrete surface course PG 64-22, Type 1 (823)	\$	\$
3	823	542	C.Y.	applied, spread and compacted at the average depth of 1.25 inches	\$	\$
4	245	200	S.Y.	Pavement Planing (20' milled including radius)	\$	\$
5	614	1	L.S.	Maintaining Traffic	\$	\$
6	624	1	L.S.	Mobilization	\$	\$
7	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$
				Total Bid		\$

To: Board of Commissioners

Henry County Engineer Henry County, Ohio 3.11.25

Road O from Road 11C to US 6 (includes old Road O)

Length: 12425 Feet or 2.35 Mile(s)

Width: 22 Feet (Approx. 30470 S.Y. including radius and driveway work, also 1070 SY for old Road O)

<u>Ref. #</u>	<u>Item</u>	Quantity	<u>Unit</u>	Description	<u>Unit Price</u>	<u>Total Price</u>
1	407	3,140	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$
2	823	436	C.Y.	Asphalt intermediate course PG 64-22, Type 1 (823) applied, spread and compacted at the average depth of 0.5 inches	\$	\$
3	823	1,093	C.Y.	Maintaining Traffic	\$	\$
4	245	170	S.Y.	Pavement Planing (20' milled including radius)	\$	\$
5	614	1	L.S.	Maintaining Traffic	\$	\$
6	624	1	L.S.	Mobilization	\$	\$
7	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$
				Total Bid		\$

To: Board of Commissioners

Henry County Engineer Henry County, Ohio 3.11.25

Road 15 from US 6 to Road S Length: 11725 Feet or 2.22 Mile(s)

Width: 20.5 Feet (Approx. 26960 S.Y. including radius and driveway work)

<u>Ref. #</u>	<u>Item</u>	Quantity	<u>Unit</u>	Description	<u>Unit Price</u>	<u>Total Price</u>
1	407	2,700	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$
2	823	375	C.Y.	Asphalt intermediate course PG 64-22, Type 1 (823) applied, spread and compacted at the average depth of 0.5 inches Asphalt concrete surface course PG 64-22, Type 1 (823)	\$	\$
3	823	936	C.Y.	applied, spread and compacted at the average depth of 1.25 inches	\$	\$
4	245	320	S.Y.	Pavement Planing (20' milled including radius)	\$	\$
5	614	1	L.S.	Maintaining Traffic	\$	\$
6	624	1	L.S.	Mobilization	\$	\$
7	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$
				Total Bid		\$

3.11.25

ROAD BIDDING BLANK

To: Board of Commissioners

Henry County Engineer

Henry County, Ohio

Bales Road from Westmoreland to Glenwood- City of Napoleon

Length: 2870 Feet or 0.54 Mile(s)

Width: 21.5 Feet (Approx. 6885 S.Y. including radius and driveway work, bike lane adds 1365 SY)

<u>Ref. #</u>	<u>Item</u>	Quantity	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	407	690	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$
2	823	351	C.Y.	Asphalt intermediate course PG 64-22, Type 1 (823) applied, spread and compacted at the average depth of 1.5 inches	\$	\$
3	245	8,250	S.Y.	Pavement Planing- 1.5" average depth entire street including bike lane	\$	\$
4	614	1	L.S.	Maintaining Traffic	\$	\$
5	624	1	L.S.	Mobilization	\$	\$
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$
7	642	40	LF	24" Stop Line, Type 1	\$	\$
8	642	220	SF	Decorative Crosswalk	\$	\$
9	642	1	EA	Left Turn Arrow	\$	\$
10	642	1	EA	Straight/Right Turn Combination Arrow	\$	\$
11	642	2	EA	School Symbol Marking	\$	\$
12	642	1	EA	Railroad Symbol Marking with Stop Bar, Type 1	\$	\$

					Total Bid	\$
16	642	0.55	MI	Centerline, Stripe, Double Yellow, Type 1	\$	\$
15	642	1	MI	Edge Line, White, Type 1	\$	\$
14	642	45	LF	Lane Line, Type 1	\$	\$
13	642	5	EA	Bike Path Symbol	\$	\$

To: Board of Commissioners

Henry County Engineer Henry County, Ohio 3.11.25

Jahns/Bales Road from RR to Napoleon Corp- HCE

Length: 1900 Feet or 0.36 Mile(s)

Width: 22.5 Feet (Approx. 4770 S.Y. including radius and driveway work)

<u>Ref. #</u>	<u>Item</u>	Quantity	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	407	480	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$
2	823	199	C.Y.	Asphalt intermediate course PG 64-22, Type 1 (823) applied, spread and compacted at the average depth of 1.5 inches	\$	\$
3	245	4,745	S.Y.	Pavement Planing- 1.5" average depth entire road including bridge	\$	\$
4	614	1	L.S.	Maintaining Traffic	\$	\$
5	624	1	L.S.	Mobilization	\$	\$
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$
7	642	28	LF	24" Stop Line, Type 1	\$	\$
8	642	1	EA	Railroad Symbol Marking with Stop Bar, Type 1	\$	\$
9	642	0.72	MI	Edge Line, White, Type 1	\$	\$
10	642	0.36	MI	Centerline, Stripe, Double Yellow, Type 1	\$	\$
				Total Bid		\$

3.11.25

To: Board of Commissioners

Henry County Engineer

Henry County, Ohio

Road 18 between Road B and Road 17B

Length: 5290 Feet or 1 Mile(s)

Width: 12.75 Feet (Approx. 7540 S.Y. including radius and driveway work)

Type: ODOT Spec 823 with Various Pavement Repairs

<u>Ref. #</u>	<u>Item</u>	Quantity	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	203	150	CY	Excavation 4" depth with material hauled off (various pavement repairs along edge)	\$	\$
2	204	1,350	SY	Subgrade Compaction	\$	\$
3	301	150	CY	Bituminous Aggregate Base, (4" average compacted depth, includes 407 tack coat on vertical face)	\$	\$
4	407	750	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$
5	823	105	C.Y.	Asphalt intermediate course PG 64-22, Type 1 (823) applied, spread and compacted at the average depth of 0.5 inches Asphalt concrete surface course PG 64-22, Type 1 (823)	\$	\$
6	823	262	C.Y.	applied, spread and compacted at the average depth of 1.25 inches	\$	\$
7	254	190	S.Y.	Pavement Planing (20' milled including radius)	\$	\$
8	614	1	L.S.	Maintaining Traffic	\$	\$
9	624	1	L.S.	Mobilization	\$	\$
10	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$
				Total Bid		\$

3.11.25

To: Board of Commissioners

Henry County Engineer

Henry County, Ohio

Road M between SR 109 and Road 7

Length: 10545 Feet or 2 Mile(s)

Width: 18.5 Feet (Approx. 21815 S.Y. including radius and driveway work)

Type: ODOT Spec 823 with Various Pavement Repairs

<u>Ref. #</u>	<u>Item</u>	Quantity	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	203	52	CY	Excavation 4" depth with material hauled off (various pavement repairs along edge)	\$	\$
2	204	470	SY	Subgrade Compaction	\$	\$
3	301	52	CY	Bituminous Aggregate Base, (4" average compacted depth, includes 407 tack coat on vertical face)	\$	\$
4	407	2,180	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard	\$	\$
5	823	303	C.Y.	Asphalt intermediate course PG 64-22, Type 1 (823) applied, spread and compacted at the average depth of 0.5 inches Asphalt concrete surface course PG 64-22, Type 1 (823)	\$	\$
6	823	757	C.Y.	applied, spread and compacted at the average depth of 1.25 inches	\$	\$
7	254	735	S.Y.	Pavement Planing (20' milled including radius)	\$	\$
8	614	1	L.S.	Maintaining Traffic	\$	\$
9	624	1	L.S.	Mobilization	\$	\$
10	103.05	1	L.S.	Contract Performance & Payment Bond	\$	\$
				Total Bid		\$

To: Board of Commissioners

Henry County Engineer Henry County, Ohio 3.11.25

Henry County Fairgrounds

Paved Area: Approx. 10,150 S.Y.

Width: Varies

<u>Ref. #</u>	<u>Item</u>	Quantity	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	407	610	Gal	Bituminous Tack Coat applied at 0.05 gallons per square yard Asphalt intermediate course PG 64-22, Type 1	\$	\$
2	823	88	C.Y.	Asphalt concrete surface course PG 64-22, Type	\$	\$
3	823	425	C.Y.	1 (823) applied, spread and compacted at the average depth of 1.5 inches	\$	\$
4	254	2,100	S.Y.	Pavement Planing 3" depth	\$	\$
5	614	1	L.S.	Maintaining Traffic	\$	\$
6	624	1	L.S.	Mobilization	\$	\$
7	103.05	1	L.S.	Trench Repair (approx. 175' x 4')(Excavate 3" of	\$	\$
8	253	7	C.Y.	stone and pave 3" of Asphalt) (Asphalt quantities included above)	\$	\$
	0.70		0) /	Pavement Repair - Removal of Any Soft Areas Found After Planing (excavate area and place 6"	•	•
9	253	25	C.Y.	of 304 aggregate)	\$	\$
10	254	8,050	S.Y.	Pavement Planing 1.5" depth	\$	\$
				Total Bid		\$

Total Entire Bid	\$
-------------------------	----

(Name of Corporation)

(This page must be executed, in the appropriate place, prior to submission of this bid.)

WRITTEN CONTRACT

	oposal for said work, I/we do hereby bind myself/ourselves thisday r into a written contract with the HENRY COUNTY BOARD OF COMMIS	
within ten (10) days from the not		JIONERO
	IF AN INDIVIDUAL, SIGN BELOW:	
(Name) IF AN INDIVID	(Post Office Address) UAL DOING BUSINESS UNDER A TRADE NAME, SIGN BELOW:	
(Trade Name)	(Post Office Address)	
	Sole Owner	
By:		
	IF A PARTNERSHIP, SIGN BELOW:	
(Name of Partnership)	(Post Office Address)	
Ву	(Post Office Address)	
(Partner)	(Post Office Address)	
(Partner)	(Post Office Address)	
(Partner)	(Post Office Address) IF A JOINT BID, SIGN BELOW:	
(Name)	(Name)	
Ву	By	
(Post Office Address)	(Post Office Address) IF A CORPORATION, SIGN BELOW:	
Incorporated under the laws of the	ne State of	
Ву	(Signature)	
	Title of Officer Signing	

^{*} Please staple certified check, cashier's check, letter of credit, or bid guarantee bond here *

BID GUARANTY AND CONTRACT BOND

(Section 153.57I, Ohio Revised Code)

KNOW ALL MEN BY THESE PRESENTS, that we, the undersigned	_
(Name and Address) as Principal and	
(Name of Surety) as Surety, are hereby held and firmly bound	unto Ohio
as Obligee in the penal sum of the dollar amount of the bid submitted by the Principal to the Obligee on	
The penal sum referred to herein shall be the dollar amount of the Principal's bid to the Obligee, Incorporating alternate proposals made by the Principal on the date referred to above to the Obligee, which are accepted by the Obligeenal sum exceed the amount of	gee. In no case shall the
(\$). (if the above line is left blank, the penal sum will be the full amount of the Principal's bid, including alternates. Alternative amount stated must not be less than the full amount of the bid, including alternates, in dollars and cents. A percentage	is not acceptable.) For
payment of the penal sum well and truly to be made, we hereby jointly and severally bind ourselves, our heirs, executor successors, and assigns. THE CONDITION OF THE ABOVE OBLIGATION IS SUCH, that whereas the above named Principal has sul	
referred to project; NOW, THEREFORE, if the Obligee accepts the bid of the Principal and the Principal fails to enter into a prop with the bid, plans, details, specifications, and bills of material; and in the event the Principal pays to the Obligee the diff percent of the penalty hereof between the amount specified in the bid and such larger amount for which the Obligee may the next lowest bidder to perform the work covered by the bid; or in the event the Obligee does not award the contract the resubmits the project for bidding, the Principal will pay the Obligee the difference not to exceed ten percent of the penalty amount specified in the bid, or the costs, in connection with the resubmission, of printing and mailing notices to prospect less, then his obligation shall be null and void, otherwise to remain in full force and effect. If the Obligee accepts the bid days after the awarding of the contract, enters into a proper contract in accordance with the bid, plans, details, specifical which said contract is made a part of this bond the same as though set forth herein; and IF THE SAID Principal shall well and faithfully perform each and every condition of such contract; and indemind damage suffered by failure to perform such contract according to the provisions thereof and in accordance with the plant and bills of material therefor; and shall pay all lawful claims of subcontractors, materialmen, and laborers, for labor performshed in the carrying forward, performing, or completing of said contract; we agreeing and assenting that this under of any materialism or laborer having a just claim, as well as for the Obligee herein; then this obligation shall be void; of remain in full force and effect; it being expressly understood and agreed that the liability of the Surety for any and all claims event exceed the penal amount of this obligation as herein stated. THE SAID Surety hereby stipulates and agrees that no modifications, omissions, or additions, in or to the term	iference not to exceed ten ay in good faith contract with to the next lowest bidder and the hereof between the ctive bidders, whichever is d of the Principal, within ten ations, and bills of material, hify the Obligee against all his, details, specifications, formed and materials taking shall be for the benefinerwise the same shall aims hereunder shall in no
the plans and specifications therefore shall in any wise affect the obligation of said Surety on its bond, and it does herel modifications, omissions or additions to the terms of the contract or to the work or to the specifications.	
SIGNED AND SEALED Thisday of, 2025.	

PRINCIPAL:			
Ву:	_		
Title:	SURETY CC	MPANY ADDRESS	S :
Surety:	Street		
Rv.	City	State	Zip
By:(Attorney-in-Fact)	Telephone		
	SURETY AG	ENT'S ADDRESS:	
	Agency Nam	ne	
	Street		
	City	State	Zip
	 Telephone		

NOTE: Failure by any party to sign Bid Guaranty and Contract Bond shall result in rejection of bid.

NON-COLLUSION AFFIDAVIT

State of Ohio County of: ss.	
• ————	
I,(Name of Party Signing Affidavit	
(Name of Party Signing Affidavit	t) (Title)
being duly sworn, do depose and say:	
That	
(Insert name of individual, Co-partr	nership, or Corporation)
its agents, officers or employees have n	ot directly or indirectly entered into any
agreement, participated in any collusion	, or otherwise taken any action in
restraint of free competitive bidding in co	onnection with this proposal.
	(Signature)
	(Title)
Sworn to and subscribed before r 2025.	me this,
2020.	
	Notary Public in and for
	County, Ohio
(Seal)	My commission expires:
	, 20

VERIFICATION OF "NO FINDING FOR RECOVERY"

No political subdivision shall award a contract for goods, services, or construction to a person against whom a Finding for Recovery has been issued by the Auditor of State, if the Finding for Recovery is unresolved.

The undersigned, by their signature and title, document that no "Finding for Recovery" is outstanding for the bidder.

By:	 		
Title:			

Prior to award of a contract, Henry County shall verify and report to the Engineer and the Bidder that the Bidder does not appear in the State Auditor's database for "Findings of Recovery".



STATE OF OHIO

HENRY COUNTY

The	undersigned personally appeared before me, as an individual or as a representative of
	for a contract for
for a contract for (Name of Entity) (Type of Product or Service)	
activities con	he County of Henry, who, being duly cautioned and sworn, makes the following statement with respect to prohibited instituting a conflict of interest or other violations under Ohio Revised Code Section 3517.13, and further states that the has the authority to make the following representation on behalf of himself or herself or of the business entity:
1.	That none of <u>the</u> following has individually made since April 4, 2007 and that, if awarded a contract for the purchase of goods or services in excess of \$10,000, none of the following individually will make, beginning on the date the contract is awarded and extending until one year following the conclusion of the contract, as an individual, one or more campaign contributions totaling in excess of \$10,000, to any elected official of the County of Henry or their individual campaign committees:
	 a. Myself; b. Any partner or owner or shareholder of the partnership (if applicable); c. Any owner of more than 20% of the corporation or business trust (if applicable); d. Each spouse of any person identified in (a) through (c) of this section; e. Each child seven years of age to seventeen years of age of any person identified in divisions (a) through (c) of this section (only applicable to contributions made on or after April 4, 2007)
	That none of the following have collectively made since April 4, 2007, and that, if awarded a contract for the purchase of goods or services in excess of \$10,000, none of the following collectively will make, beginning on the date the contract is awarded and extending until one year following the conclusion of the contract, one or more campaign contributions totaling in excess of \$10,000, to any elected official of the County of Henry or their individual campaign committees:
	 a. Myself; b. Any partner or owner or shareholder of the partnership (if applicable); c. Any owner of more than 20% of the corporation or business trust (if applicable); d. Each spouse of any person identified in (a) through (c) of this section; e. Each child seven years of age to seventeen years of age of any person identified in divisions (a) through (c) of this section (only applicable to contributions made on or after April 4, 2007)
	Signature
	Title
	Sworn to before me and subscribed in my presence thisday of, 20
	Notary Public

My Commission expires_____