

LEGAL NOTICE NOTICE TO CONTRACTORS

Sealed proposals will be received at the Washington Township House, located at 470 Toledo Street, Colton, Ohio. Sealed proposals will be received until Monday, June 17, 2019 at 7:00 P.M. for the improvement of various Township Roads:

SECTION A: Paving Various Township Roads
SECTION B: Chip Seal Various Township Roads

Washington Township, Henry County, Ohio, in accordance with estimates and specifications on file with the Washington Township Fiscal Officer.

Bids that are mailed need to be sent to Washington Township, P.O. Box 27, Liberty Center, OH 43532.

Bidding documents are available online at www.henrycountyengineer.com

Bids are to be submitted on a unit price basis.

The contracts will be awarded to the lowest, competent and responsible bidder.

Each bidder is required to file with his bid a bid guaranty in the form of either:

1. A bond for the full amount of the bid; or
2. A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the amount of ten (10%) percent of the bid price as guarantee that, if the contract be awarded on such bid, the bidder will enter into a contract and the performance of it will be properly secured.

The successful bidder, if using a (10%) bid guaranty, shall be required to provide a contract performance and payment bond for the full amount of the bid.

Estimated cost of the improvements is:	Section A: \$97,000.00
	Section B: \$76,400.00

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project.

The Board of Trustees reserves the right to award separate contracts for the above noted improvements. The Board of Trustees reserves the right to reject any or all bids.

BY ORDER OF
THE BOARD OF TRUSTEES
WASHINGTON TOWNSHIP
HENRY COUNTY, OHIO

Pat Myers, Fiscal Officer
PO Box 27
Liberty Center, Ohio 43532

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
 Washington Township
 Henry County,
 Ohio

Monday, June 17, 2019 @ 7:00 P.M.

Catherine Drive From County Road 424 to End
 Length: 1360 Feet or 0.26 Mile(s)
 Width: 10.5 Feet (Approx. 1665 S.Y. including radius and driveway work)
 Type: Double Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	670	Gal	First Seal Coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	20	C.Y.	First Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	409	670	Gal	Second Seal Coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
4	409	20	C.Y.	Second Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
5	Spec.	210	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
6	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
7	624	1	L.S.	Mobilization	\$ _____	\$ _____
8	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County,
Ohio

Monday, June 17, 2019 @ 7:00 P.M.

Township Road 2 From Construction Joint to County Road V
Length: 3970 Feet or 0.75 Mile(s)
Width: 13.5 Feet (Approx. 6015 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	2,410	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	60	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County,
Ohio

Monday, June 17, 2019 @ 7:00 P.M.

Township Road 5B From County Road V to Township Road W
Length: 5300 Feet or 1 Mile(s)
Width: 12.5 Feet (Approx. 7455 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	2,985	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	75	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
 Washington Township
 Henry County,
 Ohio

Monday, June 17, 2019 @ 7:00 P.M.

Township Road 3B From County Road 424 to End
 Length: 2950 Feet or 0.56 Mile(s)
 Width: 14 Feet (Approx. 4640 S.Y. including radius and driveway work)
 Type: Double Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	1,860	Gal	First Seal Coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	50	C.Y.	First Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	409	1,860	Gal	Second Seal Coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
4	409	50	C.Y.	Second Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
5	Spec.	580	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
6	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
7	624	1	L.S.	Mobilization	\$ _____	\$ _____
8	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County,
Ohio

Monday, June 17, 2019 @ 7:00 P.M.

Township Road 1 From County Road S3 to Township Road T3
Length: 5350 Feet or 1.01 Mile(s)
Width: 18 Feet (Approx. 10790 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	4,320	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	110	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
4	624	1	L.S.	Mobilization	\$ _____	\$ _____
5	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County, Ohio

Monday, June 17, 2019 @ 7:00 P.M.

(Colton) Texas Street From Henry Street to North Street
Length: 385 Feet or 0.07 Mile(s)
Width: 11 Feet (Approx. 525 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	210	Gal	Seal coat, bituminous material (MWS 90) applied at 4 gallons per square yard	\$ _____	\$ _____
2	409	5	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	70	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County, Ohio

Monday, June 17, 2019 @ 7:00 P.M.

(Colton) Texas Street From South Street to Toledo Street
Length: 400 Feet or 0.08 Mile(s)
Width: 11 Feet (Approx. 545 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	220	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	5	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	70	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County, Ohio

Monday, June 17, 2019 @ 7:00 P.M.

(Colton) Washington Street From South Street to Toledo Street
Length: 415 Feet or 0.08 Mile(s)
Width: 11 Feet (Approx. 570 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	230	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	10	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	75	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County,
Ohio

Monday, June 17, 2019 @ 7:00 P.M.

(Colton) Napoleon Street From South Street to Township Road U4
Length: 650 Feet or 0.12 Mile(s)
Width: 11 Feet (Approx. 860 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	345	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	10	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	110	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County,
Ohio

Monday, June 17, 2019 @ 7:00 P.M.

(Colton) Henry Street From Napoleon Street to Washington Street
Length: 820 Feet or 0.16 Mile(s)
Width: 13 Feet (Approx. 1245 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	500	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	15	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	160	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County,
Ohio

Monday, June 17, 2019 @ 7:00 P.M.

(Texas) Walnut Street From County Road 424 to End
Length: 1090 Feet or 0.21 Mile(s)
Width: 11 Feet (Approx. 1370 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	550	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	15	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	175	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County,
Ohio

Monday, June 17, 2019 @ 7:00 P.M.

(Texas) Second Street From Walnut Street to Broad Street
Length: 970 Feet or 0.18 Mile(s)
Width: 11 Feet (Approx. 1245 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	500	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	15	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	160	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County,
Ohio

Monday, June 17, 2019 @ 7:00 P.M.

(Texas) Broad Street From Second Street to County Road 424
Length: 310 Feet or 0.06 Mile(s)
Width: 12 Feet (Approx. 450 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	180	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	5	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	60	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
 Washington Township
 Henry County,
 Ohio

Monday, June 17, 2019 @ 7:00 P.M.

(Texas) Cherry Street From Second Street to County Road 424
 Length: 320 Feet or 0.06 Mile(s)
 Width: 11 Feet (Approx. 450 S.Y. including radius and driveway work)
 Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	185	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	5	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	60	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County,
Ohio

Monday, June 17, 2019 @ 7:00 P.M.

(Texas) Chesnut Street From Second Street to End
Length: 530 Feet or 0.1 Mile(s)
Width: 10 Feet (Approx. 625 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	250	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	10	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	80	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____

ROAD BIDDING BLANK - SECTION B

To: Board of Trustees
Washington Township
Henry County,
Ohio

Monday, June 17, 2019 @ 7:00 P.M.

(Texas) Chesnut From Second Street to County Road 424
Length: 270 Feet or 0.05 Mile(s)
Width: 11 Feet (Approx. 385 S.Y. including radius and driveway work)
Type: Chip Seal, 1997 ODOT Spec 409 W/ Fog Seal

<u>Ref. #</u>	<u>Item</u>	<u>Quantity</u>	<u>Unit</u>	<u>Description</u>	<u>Unit Price</u>	<u>Total Price</u>
1	409	155	Gal	Seal coat, bituminous material (MWS 90) applied at 0.4 gallons per square yard	\$ _____	\$ _____
2	409	5	C.Y.	Seal Coat, aggregate No. 8 (washed), applied and compacted at 24 lbs per square yard	\$ _____	\$ _____
3	Spec.	50	Gal	Fog Seal, SS-1H Dilute 50/50, Applied at 0.10-0.15 gal per square yard	\$ _____	\$ _____
4	614	1	L.S.	Maintaining Traffic	\$ _____	\$ _____
5	624	1	L.S.	Mobilization	\$ _____	\$ _____
6	103.05	1	L.S.	Contract Performance & Payment Bond	\$ _____	\$ _____
Total Bid						\$ _____
TOTAL OF ENTIRE BID						\$ _____

Date of Sale: Monday, June 17th, 2019 at 7:00 P.M.

SECTION B - Chip Seal Various Township Roads

All work and material contracted for seal coating shall meet the requirements of the 1997 State of Ohio, Department of Transportation, Construction and Material Specifications. All other work shall meet the requirements of the State of Ohio, Department of Transportation, Construction and Material Specifications in effect on the date of sale, together with any modifications to the same stated herein.

Fog seal shall be applied no less than 7 days after chip seal work is performed.

Spreading and placement of asphalt shall be done with full width paving equipment.

“Formed” or “Butt Type” construction joints shall be constructed at all pavement termini unless otherwise directed by the Township Trustees.

The asphalt binder grade for all asphalt concrete specified shall be PG 64-22.

Aggregate used in the asphalt concrete mix and for seal coating shall be State approved quarry run mineral aggregate.

Cut back asphalt may be used on applicable bid items between the period of October 15th and April 15th.

There are no restricted construction dates for the use of cut backs for penetration prime coat, maintenance mix or dust control.

Prevailing Wage Rates per Section 4115 of the Ohio Revised Code shall prevail on this project. A copy of the applicable wage rates may be obtained from the State of Ohio Wage and Hour Division via the internet at the following web site:

<http://www.com.ohio.gov/laws>

Should the bidder not have access to the internet, a complete set of the applicable wage rates are available at the office of the Henry County Engineer. A copy will be provided if requested.

Contractors are required to furnish the Township with a certificate of insurance in the minimum amount of \$1,000,000.00 primary and \$1,000,000.00 umbrella coverage. The Township, its elected office and employees shall be named as additional insured with respect to all activities under any agreement resulting from this bidding. The certificate of insurance shall provide that such insurance shall not be cancelled without thirty (30) days prior written notice to the Township. Contractors will replace certificate for any insurance expiring prior to the effective end date under any agreement resulting from this bidding.

Contractors shall maintain Worker’s Compensation coverage as required by Ohio law. A copy of a valid Worker’s Compensation certificate shall be submitted with the bid.

The Contractor shall indemnify and hold harmless the Township, its agents and employees from any and all losses, claims, damages, lawsuits, costs, judgments, expenses or any other liabilities which they may incur as a result of bodily injury, sickness, disease or death, or injury to or destruction of tangible property including the loss of use resulting therefrom, caused in whole or part by the negligent act or omission of the Contractor or any person directly or indirectly employed by any of them or any person for whose act any of them may be liable.

Accompanying this proposal is a bid guaranty in the form of either:

- 1) A bond for the full amount of the bid, on the above improvement; or
- 2) A certified check, cashier's check or letter of credit pursuant to Chapter 1305 of the Ohio Revised Code, in the

amount of ten percent (10%) of the bid on the above improvements, payable to the order of the Board of Trustees, WASHINGTON TOWNSHIP, which check or bond is to be forfeited if, in case this proposal is accepted, the undersigned shall fail to execute a contract within ten (10) days of Notice of Award.

This contract shall be under the direct supervision of the Washington Township Trustees and the Henry County Engineer.

All items are approximate, and final measurement of completed items will govern final payment.

In the event of discrepancy between the unit and total price bid, the unit price shall prevail. The unit prices shall remain in effect and held firm for the term of this contract. ODOT Item 401.20 Asphalt Binder price adjustment does not apply.

The Contractor shall be responsible for all construction one (1) year after project completion and acceptance. The Contractor shall make all corrections as necessary by reason of noted defects. The Trustees will give notice of observed defects with reasonable promptness. In the event that the Contractor fails to make repairs, adjustments or complete other work which may be required by such defects, the Trustees may do so and charge the Contractor the costs incurred.

The Board of Trustees reserve the right to award separate contracts on the various roads described. The Board of Trustees further reserves the right to reject any or all bids.

The chip seal work shall be completed on or before September 15th, 2019.

For each calendar day that any work shall remain uncompleted after the stated completion date the appropriate sum, in accordance with the schedule of liquidated damages per Section 108.07 of the Standard Specifications of the State of Ohio Department of Transportation, will be deducted from any monies due the Contractor, not as a penalty but as liquidated damages; provided however, that due account shall be taken of any adjustment of the completion date granted by the Board of Trustees of Washington Township.

A work day will be counted as lost if the Contractor's efficiency is reduced more than fifty (50%) percent on the critical items under construction at that time. Weekends and holidays will not be counted as lost work days.

Submitted By: _____
CONTRACTOR

Address: _____

Signed By: _____
Name/Title
